

ISO 9001:2015 CERTIFIED COMPANY




FORGET
TIREDNESS
& ENJOY
BEST | the
CHAPATI



A Pioneer in Manufacturing
and Exporter of
Chapati Machine

www.fortuneeng.com



COMPANY PROFILE

We strive to achieve perfection in creating matchless manufacturing food processing machines through innovative and effective techniques. Through our tireless endeavors and adherence to quality, we aspire to be a global leader. Finally, by unfailingly delivering on our commitments to clients and ensuring employee satisfaction, our goal is to be established in the industry as an ethically clean organization. Mission To establish a new benchmark of quality and customer satisfaction in the world of commercial kitchen equipments Quality Assurance We are a professionally managed organization and our products strictly adhere to the set industry standards. We offer comprehensive Food Processing Machinery solutions to our widespread clients. It is our conviction to satisfy customers by using our high-quality products and excellent customer service.

OUR VALUES

Customer Commitment: We develop relationships that make a positive difference in our customer' lives.

Quality: We provide outstanding products and unsurpassed service premium value to our customers.

Respect for people: We value people, encourage their development and reward their performance.

Get the Real Chapati Machine With **FORTUNE**

INDEX

FC – 1000

Automatic Chapati Machine (1000 / Hour)

04

FC – 1000 Combo

Automatic Chapati Machine (1000 / Hour With Dough Ball Attach)

05

FC – 600

Automatic Chapati Machine (700 / Hour)

06

FS – 800

Semi Automatic Chapati Pressing Machine (1000 / Hour)

07

FS – 800 With Roasting Unit

Semi Automatic Chapati Pressing Machine With Roasting Unit (1000 / Hour)

08

FC – 2000

Automatic Chapati Machine (2000 / Hour)

09

FCE – 600

Automatic Fully Electrical Chapati Machine (600 / Hour)

10

FCE – 1000

Automatic Fully Electrical Chapati Machine (1000 / Hour)

10

FR – 800

Automatic Chapati Machine (700 / Hour)

11

FDB – 2000

Dough Ball Making Machine (2000 / Hour)

12

Dough Kneading Machine

13

Our Valuable Clients

14

FC – 1000

Automatic Chapati Making Machine

ISO 9001:2015 CERTIFIED COMPANY

Features

- India's first portable machine in commercial segment.
- Easy to Operate
- Low Maintenance
- Hi-Performance
- Stainless Steel Body
- Simple, rugged and very compact
- Requires no special skills to operate.
- Uniformly baked final product.
- Robust Construction.
- High Capacity.
- Eco friendly, no pollution problems.
- Hygienic production.
- Final product with traditional test.



Technical Specification

www.fortuneeng.com

Capacity	1000/Hour
Thickness Of Chapati	1 mm To 12 mm (Adjustable)
Size Of Chapati	3 to 9 Inch Max.
Weight Of Chapati	15gm To 90gm
Chapati Baking	Three Layers Technology
Gas Consumption	2.5 Kg/Hour
Gas Connection	LPG & PNG
Machine Dimension	L 65 x W 32 x h 55 Inch
Weight of Machine	450 Kg
Total Power Use	2 Unit / Hour
Total Heating Element	3000 Watt
Motor	0.5 HP x 2
Electric Supply	220 V Single Phase
Electrical Motor	Godrej or Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L&T, Schneider or Abb
Bearings	Timken or SKF
Baking Conveyor	SS 304
All Contact Parts	SS 304 & Ceramic Coating
Machine Movable	Yes (4" Castor Wheel)
Machine Pressing Plate	Ceramic Coating

FC – 1000 (Combo)

Automatic Chapati Making Machine

ISO 9001:2015 CERTIFIED COMPANY

Features

- India's first portable machine in commercial segment.
- Easy to Operate
- Low Maintenance
- Hi-Performance
- Stainless Steel Body
- Simple, rugged and very compact
- Requires no special skills to operate.
- Uniformly baked final product.
- Robust Construction.
- High Capacity.
- Eco friendly, no pollution problems.
- Hygienic production.
- Final product with traditional test.



Technical Specification

www.fortuneeng.com

Capacity	1000/Hour & 2000 Dough / Hour
Thickness Of Chapati	1 mm To 12 mm (Adjustable)
Size Of Chapati	3 to 9 Inch Max.
Weight Of Chapati	15gm To 90gm
Chapati Baking	Three Layers Technology
Gas Consumption	2.5 Kg/Hour
Gas Connection	LPG & PNG
Machine Dimension	L 65 x W 32 x h 80 Inch
Weight of Machine	520 Kg
Total Power Use	2 Unit / Hour
Total Heating Element	3000 Watt
Motor	0.5 HP x 2
Electric Supply	220 V Single Phase
Electrical Motor	Godrej or Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L&T, Schneider or Abb
Bearings	Timken or SKF
Baking Conveyor	SS 304
All Contact Parts	SS 304 & Ceramic Coating
Machine Movable	Yes (4" Castor Wheel)
Machine Pressing Plate	Ceramic Coating

Features

- India's first portable machine in commercial segment.
- Easy to Operate
- Low Maintenance
- Hi-Performance
- Stainless Steel Body
- Simple, rugged and very compact
- Requires no special skills to operate.
- Uniformly baked final product.
- Robust Construction.
- High Capacity.
- Eco friendly, no pollution problems.
- Hygienic production.
- Final product with traditional test.



Technical Specification

www.fortuneeng.com

Capacity	650 to 700 / hour
Thickness Of Chapati	1 mm To 12 mm (Adjustable)
Size Of Chapati	3 to 9 Inch Max.
Weight Of Chapati	15gm To 90gm
Chapati Baking	Three Layers Technology
Gas Consumption	2 Kg/Hour
Gas Connection	LPG & PNG
Machine Dimension	L 58 x W 25 x H 52 Inch
Weight of Machine	350 Kg
Total Power Use	2 Unit / Hour
Total Heating Element	3000 Watt
Motor	0.5 HP
Electric Supply	220 V Single Phase
Electrical Motor	Godrej or Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L&T, Schneider or Abb
Bearings	Timken or SKF
Baking Conveyor	SS 304
All Contact Parts	SS 304 & Ceramic Coating
Machine Movable	Yes (4" Castor Wheel)
Machine Pressing Plate	Ceramic Coating

Features

- Ideally used for catering service, restaurant, hotel and individual processing unit
- Energy Efficient Machine. Huge Labour Power Saving Benefits
- Hygienic Operation.
- Zero Cost Maintenance
- Easy To Operate
- Even Unskilled Worker Can Operate
- Specially for Semi Cooked Chapati



Technical Specification

Capacity	1000/Hour
Thickness Of Chapati	1 mm To 12 mm
Size Of Chapati	9 Inch Max.
Weight Of Chapati	10 gm To 90 gm
Machine Size	14 x 26 x 18 (Inch)
Machine Weight	110 kg.
Total Power Use	2 Unit / Hour
Total Heating Element	3000 Watt
Motor	0.5 HP
Electric Supply	220 V Single Phase
Electrical Motor	Godrej / Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L & T, Schneider or Abb
Electric Connection load	3 HP
Material	Stainless Steel
Machine Pressing Plate	Ceramic Coating

FS – 800

Semi Automatic Chapati Pressing Machine
With Roasting Unit

ISO 9001:2015 CERTIFIED COMPANY



Technical Specification

Capacity	1000/Hour
Thickness Of Chapati	1 mm To 12 mm
Size Of Chapati	9 Inch Max.
Weight Of Chapati	10 gm To 90 gm
Machine Size	14 x 26 x 18 (Inch)
Machine Weight	110 kg.
Total Power Use	2 Unit / Hour
Total Heating Element	3000 Watt
Motor	0.5 HP
Electric Supply	220 V Single Phase
Electrical Motor	Godrej / Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L & T, Schneider or Abb
Electric Connection load	3 HP
Material	Stainless Steel
Machine Pressing Plate	Ceramic Coating
Roasting Unit Size	18 x 36 x 12

FC – 2000

Automatic Chapati Making Machine

ISO 9001:2015 CERTIFIED COMPANY



Technical Specification

Production Capacity	2000 Roti / Hr.
Size of Roti	3" to 9".
Weight of Chapati	20 to 90 gm.
Thickness of Chapati	1 mm to 12 mm
Electrical Supply	230 V (Single Phase) or 440 V (Three phase)
Electrical Connection Load	8 hp.
Heating Element	6000 Watt
Electrical Consumption	4 Unit/ Hr.
Chapati Baking	Three layer Technology.
Gas Connection	LPG & PNG
Gas Consumption	4.5 kg / Hr.
Roti Colour & Appearance	Light Brown
Overall Dimensions	L 65 x W 45 x h 55 Inch
Weight of Machine	650 kg.
All Contact Parts & Covers	SS 304
Roti Baking Conveyor	SS 304
Electrical Motor	Crompton
Electrical Wire	RR cable or Polycab
Gear Box	Elecon
Electrical Parts	Siemens & L&T
Bearing	SKF or FAG
Machine Movable	Yes(4" Castor Wheel)
Machine Pressing Plate	Ceramic Coating

www.fortuneeng.com

FCE – 600, FCE – 1000

Automatic Chapati Making Machine
(Fully Electric Model)

ISO 9001:2015 CERTIFIED COMPANY



Technical Specification

	FCE – 600	FCE – 1000
Capacity	600 / Hour	1000 / Hour
Thickness Of Chapati	1mm to 8mm	1mm to 8mm
Size Of Chapati	3 to 9 Inch Max.	3 to 9 Inch Max.
Weight Of Chapati	15gm To 90gm	15gm To 90gm
Chapati Baking	Three Layers Technology	Three Layers Technology
Machine Dimension	L 58 x W 25 x h 52 Inch	L 65 x W 32 x h 55 Inch
Weight of Machine	330 Kg	400 Kg
Total Power Use	9 Unit/Hour	9 Unit/Hour
Electric Connection Load	13 Hp	13 Hp
Motor	0.5 HP	0.5 HP x 2
Electric Supply	440 V Three Phase	440 V Three Phase
Electrical Motor	Godrej or Crompton	Godrej or Crompton
Electrical Wire	RR cable Or Havells	RR cable Or Havells
Electrical Parts	L&T, Schneider or Abb	L&T, Schneider or Abb
Bearings	Timken or SKF	Timken or SKF
Baking Conveyor	SS 304	SS 304
All Contact Parts	SS 304 With Ceramic Coating	SS 304 With Ceramic Coating
Machine Movable	Yes (4" Castor Wheel)	Yes (4" Castor Wheel)
Machine Pressing Plate	Ceramic Coating	Ceramic Coating

Features

- India's first portable machine in commercial segment.
- Easy to Operate
- Low Maintenance
- Hi-Performance
- Stainless Steel Body
- Simple, rugged and very compact
- Requires no special skills to operate.
- Uniformly baked final product.
- Robust Construction.
- High Capacity.
- Eco friendly, no pollution problems.
- Hygienic production.
- Final product with traditional test.



Capacity	650 to 700/Hour
Thickness Of Chapati	1 mm To 4 mm (Adjustable)
Size Of Chapati	3 to 8.5 Inch Max.
Weight Of Chapati	25 gm To 45 gm
Chapati Baking	Four Layers Technology
GAS Consumption	1.5 Kg/Hour
Gas Connection	LPG & PNG
Machine Dimension	2.5 x 2.5 x 4.2 Feet
Weight of Machine	225 Kg
Total Power Use	2 Unit / Hour
Total Heating Element	2500 Watt
Motor	0.5 HP, 0.25 HP
Electric Supply Electrical	220 V Single Phase
Motor	Godrej or Crompton
Electrical Wire	RR Cable Or Havells
Electrical Parts	L & T, Schneider or Abb
Bearings	Timken or SKF
Electric Connection load	3.5 HP
Body	Stainless Steel & Toughened Glass

Technical Specification

FDB – 2000

Dough Ball Cutting Machine

ISO 9001:2015 CERTIFIED COMPANY

Features

- Low density, smoothness and good roundness
- Elegant in style
- Ideally used for catering service, restaurant, hotel and individual processing unit
- All Pieces Are Of Perfect Size, Shape & Weight.
- Easy Movement.
- Easily Openable Washable. Easy To Operate, Even Unskilled Worker Can Operate
- Energy Efficient Machine. Huge Labour Power Saving Benefits
- Hygienic Operation.
- Zero Cost Maintenance



Capacity	2000 to 3000/Hours
Machine Weight	70 Kg
Machine Dimension	L 27 x W 17 x h 30 Inch
Machine Contact Parts	SS 304
Electric Motor	Godrej / Crompton
Dough Ball Weight	5 to 110 Gm
Tolerance	±2 Gm
Blade	SS 304
Electric Supply	220 V Single Phase
Electrical Wire	RR cable Or Havells
Electrical Parts	L&T, Schneider

Technical Specification

www.fortuneeng.com

Dough Kneading Machine



ISO 9001:2015 CERTIFIED COMPANY



Technical Specification

Capacity	Weight of Machine	Motor	Bowl	Bowl Thickness	Power	Machine Size	Kneading Time
2 Kg.	17 Kg.	0.25 HP	SS 304	1.5 MM	Single Phase	15x14x19	5 Min.
5 Kg.	47 Kg.	0.5 HP	SS 304	1.5 MM	Single Phase	13x16x24	5 Min.
10 Kg.	125 Kg.	1 HP	SS 304	1.5 MM	Single Phase	39x20x15	5 Min.
15 Kg.	127 Kg.	1 HP	SS 304	1.5 MM	Single Phase	41x23x37	7 Min.
20 Kg.	135 Kg.	1.5 HP	SS 304	1.5 MM	Single Phase	44x25x40	7 Min.
25 Kg.	144 Kg.	1.5 HP	SS 304	1.5 MM	Single Phase	45x26x40	7 Min.
30 Kg.	156 Kg.	2 HP	SS 304	1.5 MM	Single Phase	46x27x40	10 Min.
40 Kg.	175 Kg.	3 HP	SS 304	1.5 MM	Single / Three Phase	49x28x44	10 Min.
50 Kg.	180 Kg.	3 HP	SS 304	1.5 MM	Single / Three Phase	49x28x44	10 Min.

Valuable Customer



Lykis

SURYA
Emerging Lifestyles
SURYA ROSHNI LIMITED



BIG DADDY
CASINO



Prakriya
Green Wisdom School



एन एम डी सी
NMDC



HARMONY



THE ART OF LIVING



Aakash

AURO
UNIVERSITY
Integral & Transformational Learning

FORTUNE
Member ITC's hotel group

NCC
Nagarjuna Construction Company Limited

SHANKUS
WATER PARK
& RESORT

ENJOY BEST | the CHAPATI



Our Global Footprint

FORTUNE FOOD MACHINE PVT. LTD.

📍 Plot. No. 11,8 – National Highway, 80ft Swati park
Main Road, Nr. S.R. Steel Street, Bajrang Ind.
Main Road, **Rajkot – 360002**, (GUJ) India.

☎ +91 99989 92758 | 97271 49663 | 99989 92796 | 99989 94691

🌐 www.fortuneeng.com

✉ fortuneengineering@yahoo.com

